

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 13.04.2016

Version number 30

Revision: 12.02.2016

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: **Fuel Guard 2 250ml 83970**

Article number: 83970

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Additive

#### 1.3 Details of the supplier of the safety data sheet

##### Manufacturer/Supplier:

KENT (United Kingdom) Ltd  
Forsyth House  
Pitreavie Drive  
Pitreavie Business Park  
Dunfermline  
Fife  
KY11 8US

Tel: +44 01383 723344 / 0800 136925 Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm

Fax: +44 1383 620079

SDS@kenteurope.com

#### 1.4 Emergency telephone number:

Tel: +44 01383 723344 During normal office hours - Monday - Thursday 8.30am - 5.30pm, Friday 9.00am - 3.00pm

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

##### Hazard pictograms



GHS07



GHS08

Signal word *Danger*

##### Hazard-determining components of labelling:

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclic, <2% aromatics

##### Hazard statements

H319 Causes serious eye irritation.

H304 May be fatal if swallowed and enters airways.

##### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves / eye protection / face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

(Contd. on page 2)

GB

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 13.04.2016

Version number 30

Revision: 12.02.2016

**Trade name: Fuel Guard 2 250ml 83970**

(Contd. of page 1)

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Additional information:**

EUH066 Repeated exposure may cause skin dryness or cracking.

**2.3 Other hazards****Results of PBT and vPvB assessment**

PBT: Not applicable.

vPvB: Not applicable.

**SECTION 3: Composition/information on ingredients****3.2 Chemical characterisation: Mixtures**

Description: Mixture of the substances listed below with harmless additions.

**Dangerous components:**

926-141-6 Reg.nr.: 01-2119456620-43	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclic, <2% aromatics Asp. Tox. 1, H304	75-100%
	Polyolefin alkyl phenol alkyl amine Skin Irrit. 2, H315	1-10%
CAS: 160875-66-1 Polymer	ETHOXYLATED ALCOHOLS C9/11 Eye Dam. 1, H318; Acute Tox. 4, H302	<5%
939-603-7 Reg.nr.: 01-2119978241-36	Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts Skin Sens. 1B, H317	<1%

Additional information For the wording of the listed hazard phrases refer to section 16.

**SECTION 4: First aid measures****4.1 Description of first aid measures**

After inhalation Supply fresh air; consult doctor in case of symptoms.

After skin contact Instantly wash with water and soap and rinse thoroughly.

After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing Do not induce vomiting; instantly call for medical help.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**SECTION 5: Firefighting measures****5.1 Extinguishing media**Suitable extinguishing agents CO<sub>2</sub>, extinguishing powder or water haze. Fight larger fires with water haze or alcohol-resistant foam.**5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

**5.3 Advice for firefighters****Protective equipment:**

Do not inhale explosion gases or combustion gases.

Wear self-contained breathing apparatus.

**Additional information**

Cool endangered containers with water spray jet.

Collect contaminated fire fighting water separately. It must not enter drains.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

Particular danger of slipping on leaked/spilled product.

6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.

**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 13.04.2016

Version number 30

Revision: 12.02.2016

**Trade name: Fuel Guard 2 250ml 83970**

(Contd. of page 2)

### 6.4 Reference to other sections

- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.
- See Section 13 for information on disposal.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.

- **Information about protection against explosions and fires:** No special measures required.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage

- **Requirements to be met by storerooms and containers:** Store in cool location.

- **Information about storage in one common storage facility:** Not required.

#### Further information about storage conditions:

- Store in cool, dry conditions in well sealed containers.
- Store container in a well ventilated position.
- Protect from heat and direct sunlight.

- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

### 8.1 Control parameters

- **Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **Additional information:** The lists that were valid during the compilation were used as basis.

### 8.2 Exposure controls

#### Personal protective equipment

#### General protective and hygienic measures

- Keep away from foodstuffs, beverages and food.
- Take off immediately all contaminated clothing
- Wash hands during breaks and at the end of the work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

- **Breathing equipment:** Not necessary if room is well-ventilated.

#### Protection of hands:



Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

Value for the permeation: Level  $\leq$  480 min (level 6)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:** Safety glasses recommended during refilling.

GB

(Contd. on page 4)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 13.04.2016

Version number 30

Revision: 12.02.2016

Trade name: Fuel Guard 2 250ml 83970

(Contd. of page 3)

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

##### General Information

##### Appearance:

Form:	Fluid
Colour:	Brown
Odour:	Characteristic
Odour threshold:	Not determined.

pH-value: Not determined.

##### Change in condition

Melting point/Melting range:	Not determined
Boiling point/Boiling range:	175-250 °C

Flash point: 70 °C

Inflammability (solid, gaseous) Not applicable.

Ignition temperature: 220 °C

Decomposition temperature: Not determined.

Self-inflammability: Product is not selfigniting.

Danger of explosion: Product is not explosive.

##### Critical values for explosion:

Lower:	0.6 Vol %
Upper:	8.0 Vol %

Vapour pressure at 20 °C: 0.4 hPa

Density Not determined

Relative density at 20 °C 0.820 g/ml

Vapour density Not determined.

Evaporation rate Not determined.

##### Solubility in / Miscibility with

Water: Emulsifiable

Partition coefficient (n-octanol/water): Not determined.

##### Viscosity:

dynamic:	Not determined.
kinematic at 40 °C:	10-6 m <sup>2</sup> /s (ISO 3104/3105)

##### Solvent content:

Organic solvents: 640g/l VOC

9.2 Other information No further relevant information available.

### SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

#### 10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid Heat. Hot surfaces. Sources of ignition. Flames.

10.5 Incompatible materials: Strong oxidising agents

#### 10.6 Hazardous decomposition products:

Formation of toxic gases is possible during heating or in case of fire.  
Carbon monoxide and carbon dioxide

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 5)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 13.04.2016

Version number 30

Revision: 12.02.2016

Trade name: Fuel Guard 2 250ml 83970

(Contd. of page 4)

· **LD/LC50 values that are relevant for classification:**

**Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclic, <2% aromatics**

Oral	LD50	>5000 mg/kg (Rat)
Dermal	LD50	>5000 mg/kg (Rabbit)
Inhalative	LC50 (4 hr)	>5000 mg/m <sup>3</sup> (Rat)
	IC50	20ml/l (Algae)

**160875-66-1 ETHOXYLATED ALCOHOLS C9/11**

Oral	LD50	>2000 mg/kg (Rat)
------	------	-------------------

· **Primary irritant effect:**

· **Skin corrosion/irritation** Based on available data, the classification criteria are not met.

· **Serious eye damage/irritation**

Causes serious eye irritation.

· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

· **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

· **Carcinogenicity** Based on available data, the classification criteria are not met.

· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **STOT-single exposure** Based on available data, the classification criteria are not met.

· **STOT-repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard**

May be fatal if swallowed and enters airways.

### SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

**Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclic, <2% aromatics**

EL50 (48 hr)	>250 mg/l (Daphnia magna)
LC50 (96 hr)	>1000 mg/l (Oncorhynchus mykiss)

**160875-66-1 ETHOXYLATED ALCOHOLS C9/11**

EC50 (48 hr)	>1-10 mg/l (Daphnia magna)
--------------	----------------------------

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **European waste catalogue**

14 06 03*	other solvents and solvent mixtures
-----------	-------------------------------------

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

· **14.1 UN-Number**

· **ADR, ADN, IMDG, IATA**

Void

(Contd. on page 6)

GB

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 13.04.2016

Version number 30

Revision: 12.02.2016

**Trade name: Fuel Guard 2 250ml 83970**

(Contd. of page 5)

· <b>14.2 UN proper shipping name</b> · ADR, ADN, IMDG, IATA	Void
· <b>14.3 Transport hazard class(es)</b> · ADR, ADN, IMDG, IATA · Class	Void
· <b>14.4 Packing group</b> · ADR, IMDG, IATA	Void
· <b>14.5 Environmental hazards:</b> · Marine pollutant:	No
· <b>14.6 Special precautions for user</b>	Not applicable.
· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	Not dangerous according to the above specifications.
· <b>UN "Model Regulation":</b>	Void

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **National regulations**
- **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**  
H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.
- **Department issuing data specification sheet:** Environment protection department
- **Abbreviations and acronyms:**  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Acute Tox. 4: Acute toxicity, Hazard Category 4  
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2  
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1  
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2  
Skin Sens. 1B: Sensitisation - Skin, Hazard Category 1B  
Asp. Tox. 1: Aspiration hazard, Hazard Category 1
- **Data compared to the previous version altered.** \*